



# भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

भोपाल Bhopal Branch Office

पता  
Address: भोपाल शाखा कार्यालय। मानक लाया, ई-5 अरेरा  
कॉलोनी। बितन मार्केट। भोपाल - 462016  
Mankalaya, E-5 Arera Colony  
Bitten Market-Bhopal|462016  
दूरभाष 0755-2423449, 2423452, 2423454,  
2420493, 2442550  
फैक्स Fax: 0755-2423451  
ई-मेल [bpibo@bis.org.in](mailto:bpibo@bis.org.in), [bpbo@bis.gov.in](mailto:bpbo@bis.gov.in)  
वेब web : <http://www.bis.org.in>, [www.manakonline.in](http://www.manakonline.in)

## Speed Post

Our Ref: बीपीबीओ /एल - 8200095709

Dated: 6/09/2019

Subject: Grant of BIS Product Certification Licence No.- 8200095709 as per IS : 14735:1999

मेसर्स वेक्टस इंडस्ट्रीज लिमिटेड यूनिट-II,  
प्लॉट नं. 41-42, इंडस्ट्रियल एरिया, बानमोर,  
मुरैना - 476444, मध्य प्रदेश

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

**Product:- Unplasticized Polyvinyl Chloride Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System.**

Type of Fitting	Type of Fitting	Size of Fitting
Tee (87.5°)	Single	75mm, 90mm, 110mm, 160mm,
	Double (Cross)	75mm, 90mm, 110mm,
	Reducing	110x75mm, 160x90mm, 160x110mm,
	Single	75mm, 90mm, 110mm, 160mm,
	Double (Cross)	75mm, 90mm, 110mm,
	Reducing	110x75mm, 160x90mm, 160x110mm,
Wye (45°)	Single	75mm, 90mm, 110mm, 160mm,
	Double (Cross)	75mm, 90mm, 110mm,
	Reducing	110x75mm, 160x110mm,
	Single	75mm, 90mm, 110mm, 160mm,
	Double (Cross)	75mm, 90mm, 110mm,
	Reducing	110x75mm, 160x110mm,
Bend (87.5°)	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Bend (45°)	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Reducer	Rubber Ring Type With & Without Inspection Doors	110x75mm, 160x110mm
Reducer	Solvent Cement Type With & Without Inspection Doors	110x75mm, 160x110mm
Coupler	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Coupler	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,



Cleansing Pipe	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Cleansing Pipe	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Vent Cowl	Solvent Cement Type	75mm, 90mm, 110mm,
Waste Trap With Strainer (Nahani Trap With Jali)	Solvent Cement Type	110x75mm,

### IS 14735:1999 (With 3 Amendments)

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L- 8200095709** which has been made operative from **07/06/2019** and is valid up to **06/06/2020**. The licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from **07/06/2019** for the period of validity of the licence in advance.

3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No.**R/ 0082PC2019000557** dated **07/06/2019** for the licence fee and the minimum marking fee for the first operative period is already \*issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. **The Scheme of Inspection and Testing (SIT) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as Specified by BIS PM/IS/14735/1/ February 2019 Dtd. 08/May/2019** will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.



7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your manufacturing premises situated at प्लॉट नं. 41-42, इंडस्ट्रियल एरिया, बानमोर, मुरैना - 476444, मध्य प्रदेश. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10.\* It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on 08/May/2019 by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GOL under option 2).

Thanking you,

Encl: As above.

भवदीय  
(प्रीति भटनागर)  
वैज्ञानिक ई एवं प्रमुख

भारतीय मानक ब्यूरो  
**BUREAU OF INDIAN STANDARDS**  
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति  
**Licence for the use of STANDARD MARK**

लाइसेंस सं. सीएम/एल – 8200095709  
Licence No. CM/L – 8200095709

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स वेक्टस इंडस्ट्रीज लिमिटेड यूनिट-II,  
प्लॉट नं. 41-42, इंडस्ट्रियल एरिया, बानमोर,  
मुरैना - 476444, मध्य प्रदेश

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक( मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s Vectus Industries Limited Unit -II,  
Plot No. 41-42, Industrial Area, Banmore,  
Morena- 476444, Madhya Pradesh

(hereinafter called 'the Licensee) this Licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with//conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-I में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This Licence carries obligations on part of the licensee as conditions of licence which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the Scheme-I.



अनुसूची  
SCHEDULE

अनुज्ञप्ति सं. सीएम/एल - 8200095709

LicenceNo.CM/L- 8200095709

नाम : मेसर्स वेक्टस इंडस्ट्रीज लिमिटेड यूनिट-II,


कारखाने का पता : प्लॉट न. 41-42, इंडस्ट्रियल एरिया, बानमोर, मुरैना - 476444, मध्य प्रदेश

Name : M/s Vectus Industries Limited Unit -II,

Factory Address :Plot No. 41-42, Industrial Area, Banmore, Morena- 476444, Madhya Pradesh

विधिमान्यता : सात जून दो हजार उन्नीस से छः जून ,दो हजार बीस तक

Validity from : Seven June Two Thousand and Nineteen to Six June Two Thousand and Twenty.

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिह्नांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 14735 	भा मा 14735:1999 इमारतों के भीतर एवं बाहर संवातन और पानी के साथ मल एवं अपशिष्ट विसर्जन : अनस्यकृत पॉलीविनाइल क्लोराइड अंतः संचकित फिटिंग्स - विशिष्ट  IS 14735:1999 Specification for Unplasticized Polyvinyl Chloride Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System.	Annexure- Attached        Annexure- Attached	रूपये 12.5 प्रति इकाई सभी इकाईयों के लिए एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस रूपये 79,000.00 के साथ ।  इकाई = 100 पीस  एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी और जो अगले नवीकरण में अग्रणीत होगी।  Rs. 12.5 per unit for all the units with a minimum marking fee of Rs. 79,000.00 during an operative period of one year .  Unit = 100 Pes  Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज वर्ष दो हजार उन्नीस के 12<sup>th</sup> माह की 12<sup>th</sup> तारीख को हस्ताक्षरित मुहरबंद किया गया ।

Signed Sealed and Dated this..... day of ..... Month of year...

TWO THOUSAND NINETEEN

भारतीय मानक ब्यूरो के लिए  
for BUREAU OF INDIAN STANDARDS

(प्रीति भटनागर)

वैज्ञानिक ई एवं प्रमुख  
Scientist E & Head

प्रीति भटनागर  
PRITI BHATNAGAR  
वैज्ञानिक-ई एवं प्रमुख  
भारतीय मानक ब्यूरो, भोपाल  
Bureau of Indian Standards, Bhopal

# Annexure to Licence document CM/L-8200095810


Licence CM/L- 8200095709

IS 14735 : 1999

M/s Vectus Industries Limited Unit -II,  
Plot No. 41-42, Industrial Area, Banmore,  
Morena- 476444, Madhya Pradesh

**Product:-** Unplasticized Polyvinyl Chloride Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System.

Type of Fitting		Type of Fitting	Size of Fitting
Tee (87.5°)	Single	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Double (Cross)		75mm, 90mm, 110mm,
	Reducing		110x75mm, 160x90mm, 160x110mm,
	Single	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Double (Cross)		75mm, 90mm, 110mm,
	Reducing		110x75mm, 160x90mm, 160x110mm,
Wye (45°)	Single	Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Double (Cross)		75mm, 90mm, 110mm,
	Reducing		110x75mm, 160x110mm,
	Single	Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
	Double (Cross)		75mm, 90mm, 110mm,
	Reducing		110x75mm, 160x110mm,
Bend (87.5°)		Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
		Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Bend (45°)		Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
		Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Reducer		Rubber Ring Type With & Without Inspection Doors	110x75mm, 160x110mm
Reducer		Solvent Cement Type With & Without Inspection Doors	110x75mm, 160x110mm
Coupler		Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Coupler		Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Cleansing Pipe		Rubber Ring Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Cleansing Pipe		Solvent Cement Type With & Without Inspection Doors	75mm, 90mm, 110mm, 160mm,
Vent Cowl		Solvent Cement Type	75mm, 90mm, 110mm,
Waste Trap With Strainer (Nahani Trap With Jali)		Solvent Cement Type	110x75mm,

  
(प्रीति भटनागर)  
वैज्ञानिक ई एवं प्रमुख  
Scientist E & Head

प्रीति भटनागर  
PRITI BHATNAGAR  
वैज्ञानिक-ई एवं प्रमुख  
भारतीय मानक ब्यूरो, भोपाल  
Bureau of Indian Standards, Bhopal