


# VECTUS<sup>®</sup>

Powered by **wavin**

*India ki  
Waterline!*



## uPVC PIPING SYSTEM



Made as per **ASTM** Standards for cold water applications





# uPVC Piping System

Vectus uPVC (Unplasticized Polyvinyl Chloride) pipes and fittings are specifically designed for cold water operations in residential buildings and offices. These pipes are lead free and non-toxic which makes them safe for carrying potable water. Vectus uPVC pipes are manufactured as per ASTM D 1785 & fittings are manufactured as per ASTM D 2467, under which pipes are available in SCH 40 and SCH 80.

- The available range of pipes and fittings varies from 15 mm to 100 mm.

## Features



Light weight yet Strong & Durable



Non Toxic



UV Resistant



Self -Extinguishing



Lead Free

## Applications



Cold Water Applications



Offices



Residential & Commercial Purpose



Carrying Drinking Water



Swimming Pool



Industrial Use

**HSN CODE : 3917**

**\*\*MTO** - Make to Order items will be manufactured against the customer orders only.



### PIPES as per ASTM D 1785

**SCH 40:** Available in lengths of 3 & 6 meters

**Size (mm):** 15, 20, 25, 32, 40, 50, 65, 80\*\*, 100\*\*  
(Plain Pipe) and  
15, 20, 25, 32, 40, 50 (Threaded Pipe)

**SCH 80:** Available in lengths of 3 & 6 meters

**Size (mm):** 15, 20, 25, 32, 40, 50, 65, 80, 100  
(Plain Pipe) and  
15, 20, 25, 32, 40, 50 (Threaded Pipe)

### Equal Tee



15	20	25	32	40	50
65	80	100			

### Female Adapter Brass Threaded - FABT



15x15	20x20	25x25
32x32	40x40	50x50

### Coupler



15	20	25	32	40	50
65	80	100			

### Reducing Bush



20x15	25x15	25x20	32x15	32x20	32x25
40x15	40x20	40x25	40x32	50x15	50x20
50x25	50x32	50x40	65x50	80x50	100x50

### Elbow 90°



15	20	25	32	40	50
65	80	100			

### Male Adapter Brass Threaded- MABT



15x15	20x20	20x20 (Full Brass)
25x25	25x25 (Full Brass)	
32x32	40x40	50x50 65x65

### End Cap



15	20	25	32	40	50
65	80	100			

### Pipe Clip



15	20	25
----	----	----

**Female Adapter  
Plastic Threaded- FAPT**



15 20 25 32 40 50

**Male Adapter  
Plastic Threaded-MAPT**



15 20 25 32 40 50

**Female Elbow  
Brass Threaded-FEBT**



15x15 20x15 25x15  
25x20 25x25

**Female Tee Brass  
Threaded - FTBT**



15x15 20x15 20x20 25x15  
25x20 25x25

**Reducer Elbow**



25x15 65x50 80x50  
100x50

**Cross Tee**



15 20 25

**Elbow 45°**



15 20 25 32 40

**Ball Valve**



15 20 25 32 40 50

**Reducer Coupler**



20x15 25x15 25x20 32x15 32x20  
32x25 40x20 40x25 40x32 50x15  
50x20 50x32 65x50  
80x50 100x50

**Union**



15 20 25 32 40 50

**Tank Connector**



15 20 25 32 40 50

**Reducer Tee**



20x15 25x15 25x20 32x15 32x25  
40x15 40x25 40x32 50x15 50x20  
50x25 50x32 50x40 65x50  
80x50 100x50

**Male Adapter Brass  
Threaded - MABT (Hex)**



20x20 25x25

**Transition Bush**



15x15 20x20 25x25

**Reducing Female Adapter  
Brass Threaded - RFABT**




20x15 25x15 25x20

**Reducing Male Adapter  
Brass Threaded - RMABT**



20x15 25x15 25x20

**uPVC Solvent Cement**



118ml 237ml 473ml

**uPVC Solvent Cement (Tube)**



50ml 100ml

\*All sizes are in mm.

## OUR SALES & SUPPORT NETWORK

