

VECTUS[®]

Powered by **Wavin**

*India ki
Waterline!*

PREMIUM SWR DRAINAGE SYSTEM



For Soil, Waste & Rainwater



13592



14735

PREMIUM SWR DRAINAGE SYSTEM

Vectus Premium SWR Drainage System consists of a wide range of soil, waste and rain water plumbing products for residential and industrial developments. The system is available in Ring-Fit and Self-Fit options, wherein the pipes are manufactured as per IS 13592 and fittings are as per IS 14735. Vectus Premium SWR pipes and fittings are available from 75 mm to 160 mm.

The pipes are available in two types:

- Type A - Used for ventilation pipe work and rainwater harvesting.
- Type B - Used for soil and waste discharge systems.

Features



Lightweight



UV Resistant



Leakage Free Joint



Yellow Ring for Fast Installation

Applications



Offices



Residential Purpose



Industrial Use



Hospitals



Sewage & Waste Water Lines



Rainwater Drainage



Self Fit



Ring Fit

Features of Self fit :

- High flow rate - no choking
- High degree of dimensional accuracy
- Quick and convenient installation
- Cost effective

Features of Ring fit :

- Uniform size of grooves in fittings with inbuilt collapsible ring fit design mould
- The ring is in-built, hence, tough to remove
- Easy jointing of the pipe and fittings
- Long lasting ring ensures leakage free joints

PREMIUM SWR FITTINGS - RING FIT (Manufactured as per IS 14735)

SWR PIPES



75 90 110 160

Bend 45°



75 90 110 160

Coupler



75 90* 110 160

Bend 87.5°



75 90 110 160

Door bend 87.5°



75 90 110 160

Single Tee



75 90 110 160

Door Tee



75 90 110 160

Swept Tee



75 110

Swept Tee with Door



75 110

All the asterisk (*) marked fittings are in economy range.
All sizes are in mm.

HSN CODE : 3917

PREMIUM SWR FITTINGS - RING FIT

(Manufactured as per IS 14735)

Cross Tee Plain



75 110

Cross Tee With Door



75 110

Reducing Tee



110x75 110x90* 160x110

Reducing Door Tee



110x75 160x110

Single Y



75 90 110 160

Single Y with Door



75 90 110 160

Reducing Y



110x75 160x110

Reducing Y with Door



110x75 160x110

Reverse Y



75

Reverse Y with Door



75

Double Y Plain



75 110

Double Y with Door



75 110

Cleaning Pipe



75 90 110 160

Reducer



110x75 160x110

Yellow Rubber Ring



75 90 110 160

Rubber Lubricant



50 gms 100 gms 250 gms
500 gms 1000 gms

All the asterisk (*) marked fittings are in economy range.
All sizes are in mm.

PREMIUM SWR FITTINGS - SELF FIT

(Manufactured as per IS 14735)

Bend 45°



75 90* 110 160

Coupler



75 90 110 160

Bend 87.5°



75 90 110 160

Door Bend 87.5°



75 90 110 160

Single Tee



75 90 110 160

Door Tee



75 90 110 160

Single Y



75 90 110* 160

Single Y with Door



90 90* 160

Cross Tee plain



75 110

Cross Tee with door



75 110

Double Y Plain



75 110

Double Y with Door



75 110

Reducing Y



110x75 160x110

Reducing Y With Door



110x75 160x110

Reverse Y



75**

Reverse Y with Door



75

N Trap Without Jali



110x63* 110x75 110x90*
110x110*

N Trap With Jali



110x63* 110x75 110x90*
110x110*

P Trap Small



110x110 125x110*

P Trap Small (with Lip Ring)



110x110* 125x110*

PREMIUM SWR FITTINGS - SELF FIT

(Manufactured as per IS 14735)

S Trap



110x110* 125x110*

P Trap with Lip Ring



110x110 125x110*

Socket plug



75* 110*

Q Trap



110x110* 125x110*

Door Cap



75* 90* 110*

Vent Cowl



75 90 110 160

Reducing Tee



110x75 160x110

Pipe Clip



75* 110*

Reducing Door Tee



110x75 160x110**

Cleaning Pipe




75 90 110

Multi Floor Trap (4" Depth)



110x75x50*

Multi Floor Trap (7" Depth)



110x75x40*

Swept Tee



75 110

Swept Tee with Door



75 110

Balcony Trap



110x63*

Reducer



110x75* 160x110*

Lip Ring



110x110 110x125

PVC Solvent Cement



100 ml 250 ml 500 ml
1000 ml

Round Jali



110

(*) Given sizes are available in both ISI & economy range.

All the asterisk (*) marked fittings are in economy range.

All sizes are in mm.

**MTO - Make to Order items will be manufactured against the customer orders only.

OUR SALES & SUPPORT NETWORK

