

VECTUS[®]

Powered by **WAVIN**

*India ki
Waterline!*

uPVC PIPING SYSTEM



Made as per **ASTM** Standards for cold water applications



uPVC Piping System

Vectus uPVC (Unplasticized Polyvinyl Chloride) pipes and fittings are specifically designed for cold water operations in residential buildings and offices. These pipes are lead free and non-toxic which makes them safe for carrying potable water. Vectus uPVC pipes are manufactured as per ASTM D 1785 & fittings are manufactured as per ASTM D 2467, under which pipes are available in SCH 40 and SCH 80.

- The available range of pipes and fittings varies from 15 mm to 100 mm.

Features



Light weight yet Strong & Durable



Non Toxic



UV Resistant



Self -Extinguishing



Lead Free

Applications



Cold Water Applications



Offices



Residential & Commercial Purpose



Carrying Drinking Water




Swimming Pool



Industrial Use

HSN CODE : 3917

**MTO - Make to Order items will be manufactured against the customer orders only.



PIPES as per ASTM D 1785

SCH 40: Available in lengths of 3 & 6 meters
Size (mm): 15, 20, 25, 32, 40, 50, 65, 80**, 100**
 (Plain Pipe) and
 15, 20, 25, 32, 40, 50 (Threaded Pipe)

SCH 80: Available in lengths of 3 & 6 meters
Size (mm): 15, 20, 25, 32, 40, 50, 65, 80, 100
 (Plain Pipe) and
 15, 20, 25, 32, 40, 50 (Threaded Pipe)

Equal Tee



15	20	25	32	40	50
65	80	100			

Female Adapter Brass Threaded - FABT



15x15	20x20	25x25
32x32	40x40	50x50

Coupler



15	20	25	32	40	50
65	80	100			

Reducing Bush



20x15	25x15	25x20	32x15	32x20	32x25
40x15	40x20	40x25	40x32	50x15	50x20
50x25	50x32	50x40	65x50	80x50	100x50

Elbow 90°



15	20	25	32	40	50
65	80	100			

Male Adapter Brass Threaded- MABT



15x15	20x20	20x20 (Full Brass)
25x25	25x25 (Full Brass)	
32x32	40x40	50x50
65x65		

End Cap



15	20	25	32	40	50
65	80	100			

Pipe Clip



15	20	25
----	----	----

**Female Adapter
Plastic Threaded- FAPT**



15 20 25 32 40 50

**Male Adapter
Plastic Threaded-MAPT**



15 20 25 32 40 50

**Female Elbow
Brass Threaded-FEBT**



15x15 20x15 25x15
25x20 25x25

**Female Tee Brass
Threaded - FTBT**



15x15 20x15 20x20 25x15
25x20 25x25

Reducer Elbow



25x15 65x50 80x50
100x50

Cross Tee



15 20 25

Elbow 45°



15 20 25 32 40

Ball Valve



15 20 25 32 40 50

Reducer Coupler



20x15 25x15 25x20 32x15 32x20
32x25 40x20 40x25 40x32 50x15
50x20 50x32 65x50
80x50 100x50

Union



15 20 25 32 40 50

Tank Connector



15 20 25 32 40 50

Reducer Tee



20x15 25x15 25x20 32x15 32x25
40x15 40x25 40x32 50x15 50x20
50x25 50x32 50x40 65x50
80x50 100x50

**Male Adapter Brass
Threaded - MABT (Hex)**



20x20 25x25

Transition Bush



15x15 20x20 25x25

**Reducing Female Adapter
Brass Threaded - RFABT**




20x15 25x15 25x20

**Reducing Male Adapter
Brass Threaded - RMBAT**



20x15 25x15 25x20

uPVC Solvent Cement



118ml 237ml 473ml

uPVC Solvent Cement (Tube)



50ml 100ml

*All sizes are in mm.

OUR SALES & SUPPORT NETWORK

